

## Freeform Search

---

<b>Database:</b>	<div> US Pre-Grant Publication Full-Text Database  US Patents Full-Text Database  US OCR Full-Text Database  EPO Abstracts Database  JPO Abstracts Database  Derwent World Patents Index  IBM Technical Disclosure Bulletins </div>
<b>Term:</b>	<div>(invocation or invok\$3) near code with hash\$6</div>
<b>Display:</b>	<div>10 Documents in Display Format: - Starting with Number 1</div>
<b>Generate:</b>	<div> <input type="radio"/> Hit List <input checked="" type="radio"/> Hit Count <input type="radio"/> Side by Side <input type="radio"/> Image </div>

---

Search

Clear

Interrupt

---

### Search History

---

**DATE:** Friday, October 12, 2007  
[Purge Queries](#)  
[Printable Copy](#)  
[Create Case](#)

<u>Set</u> <u>Name</u> side by side	<u>Query</u>	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
	<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>		
<u>L110</u>	(invocation or invok\$3) near code with hash\$6	6	<u>L110</u>
<u>L109</u>	(invocation or invok\$3) near code with hash\$6	6	<u>L109</u>
<u>L108</u>	serializ\$5 and L107	85	<u>L108</u>
<u>L107</u>	(invocation or invok\$3) with hash\$6	505	<u>L107</u>
<u>L106</u>	serializ\$5 and L104	13	<u>L106</u>
<u>L105</u>	serializ\$5 adn L104	38459	<u>L105</u>
<u>L104</u>	@pd<20030421 and L103	194	<u>L104</u>
<u>L103</u>	(hash\$3 near2 (code or class)) same (transfer\$4 or transmi\$4 or serializ\$5)	537	<u>L103</u>
<u>L102</u>	6292933.pn.	2	<u>L102</u>
<u>L101</u>	6292933	23	<u>L101</u>
<u>L100</u>	L89 and L99	39	<u>L100</u>
<u>L99</u>	(\$3serializ\$4 or \$3marshal\$4 or stream\$3) and L98	879	<u>L99</u>
<u>L98</u>	(combin\$5 or merg\$3) near2 hash\$7	1819	<u>L98</u>
<u>L97</u>	L89 and L96	35	<u>L97</u>
<u>L96</u>	(((\$3serializ\$4 or \$3marshal\$4 or stream\$3) near object) and L95	550	<u>L96</u>

<u>L95</u>	fingerprint and hash\$6	5104	<u>L95</u>
<u>L94</u>	shallow near signature	12	<u>L94</u>
<i>DB=USPT; PLUR=YES; OP=OR</i>			
<u>L93</u>	'6305009'.pn.	1	<u>L93</u>
<u>L92</u>	'6349344'.pn.	1	<u>L92</u>
<u>L91</u>	'6470494'.pn.	1	<u>L91</u>
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>			
<u>L90</u>	hash\$1table and ((\$3serializ\$4 or \$3marshal\$4 or stream\$3) near object) and L89	37	<u>L90</u>
<u>L89</u>	(709/231).ccls. or L88	33113	<u>L89</u>
<u>L88</u>	L55 or L56 or L57 or (717/162  717/163  717/164  717/165  717/166  717/167).ccls.	31724	<u>L88</u>
<u>L87</u>	(common or shared) with hash\$1table	29	<u>L87</u>
<u>L86</u>	(merg\$3 or combin\$4 or join\$3) with hash\$1table	17	<u>L86</u>
<u>L85</u>	(merg\$3 or combin\$4 or join\$3) near hash\$1table	2	<u>L85</u>
<u>L84</u>	20040210879	2	<u>L84</u>
<u>L83</u>	L58 and L82	41	<u>L83</u>
<u>L82</u>	((invok\$3 or invocat\$3) near (object or code)) with (schema or table)	188	<u>L82</u>
<u>L81</u>	@pd<20030421 and L80	26	<u>L81</u>
<u>L80</u>	((invok\$3 or invocat\$3) or locat\$3) with hash\$1table	74	<u>L80</u>
<u>L79</u>	hash\$3 and L78	7	<u>L79</u>
<u>L78</u>	(6272559 or 6324637 or 6345306 or 6430538 or 6442563 or 6442620 or 6504554).pn. or (20020010709 or 20020095423 or 20020103758 or 20020194287 or 20030005170)	27	<u>L78</u>
<u>L77</u>	((creat\$3 or instantiat\$3) near hash\$1table) with object	49	<u>L77</u>
<u>L76</u>	L73 and L75	36	<u>L76</u>
<u>L75</u>	((de\$1serializ\$4 or \$3marshal\$4) near object)	495	<u>L75</u>
<u>L74</u>	((de\$1serializ\$4 or \$3marshal\$4) near object) with (hash\$3 or table or schema)	33	<u>L74</u>
<u>L73</u>	((serializ\$4 or marshal\$4 or stream\$3) near object) with (hash\$3 or table or schema)	319	<u>L73</u>
<u>L72</u>	((serializ\$4 or marshal\$4 or stream\$3) near object) with (hash\$3 or table)	289	<u>L72</u>
<i>DB=USPT; PLUR=YES; OP=OR</i>			
<u>L71</u>	'6108687'.pn.	1	<u>L71</u>
<u>L70</u>	'6343287'.pn.	1	<u>L70</u>
<u>L69</u>	'6366916'.pn.	1	<u>L69</u>
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>			
<u>L68</u>	data near object with hash\$1table	15	<u>L68</u>
<u>L67</u>	(de\$3serializ\$4 or de\$3marshal\$4) with hash\$1table	3	<u>L67</u>
<u>L66</u>	(\$3serializ\$4 or \$3marshal\$4 or \$3stream\$3) with hash\$1table	32	<u>L66</u>
<u>L65</u>	((transport\$3 or transfer\$4 or transmi\$5 or download\$3) near (code or(object near data))) with hash\$1table	3	<u>L65</u>
<u>L64</u>	hash\$1table and L63	29	<u>L64</u>

<u>L63</u>	data near object with pointer	1980	<u>L63</u>
<u>L62</u>	(serializ\$4 or marshal\$4 or stream\$3) with hash\$1table	32	<u>L62</u>
<u>L61</u>	hash\$1table near pointer	11	<u>L61</u>
<u>L60</u>	hash\$1table and L59	7	<u>L60</u>
<u>L59</u>	tag with data near object	933	<u>L59</u>
<u>L58</u>	L55 or L56 or L57	30917	<u>L58</u>
<u>L57</u>	(719/311  719/312  719/313  719/314  719/315  719/316  719/319  719/328  719/330  719/331  719/332).ccls.	4647	<u>L57</u>
<u>L56</u>	(718/106).ccls.	523	<u>L56</u>
<u>L55</u>	(709/201  709/202  709/203  709/204  709/205  709/206  709/207  709/217  709/218  709/219  709/2312  709/236).ccls.	26638	<u>L55</u>
<i>DB=TDBD,DWPI,JPAB,EPAB,USOC,USPT,PGPB; PLUR=YES; OP=OR</i>			
<u>L54</u>	WANISH-PAUL-J!	11	<u>L54</u>
<u>L53</u>	VAN-AERSCHOT-EGIDE!	1	<u>L53</u>
<u>L52</u>	MIN-HONG!	56	<u>L52</u>
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>			
<u>L51</u>	(\$3serializ\$4 or stream\$3 or \$3marshal\$4) and L49	98	<u>L51</u>
<u>L50</u>	@pd<20030421 and L49	35	<u>L50</u>
<u>L49</u>	(call\$3 or invoc\$3 or invocation) with hash\$1table	150	<u>L49</u>
<u>L48</u>	(invok\$3 or invocation) with hash\$1table	22	<u>L48</u>
<u>L47</u>	tuple and (\$3serializ\$4 or stream\$3 or \$3marshal\$4) and hash\$1table	70	<u>L47</u>
<u>L46</u>	@pd<20030421 and L45	30	<u>L46</u>
<u>L45</u>	hash\$6 and L44	117	<u>L45</u>
<u>L44</u>	tuple with (\$3serializ\$4 or stream\$3 or \$3marshal\$4)	394	<u>L44</u>
<u>L43</u>	(\$3serializ\$4 or stream\$3 or \$3marshal\$4) with hash\$1table	32	<u>L43</u>
<u>L42</u>	(class or code) near hash\$1table	40	<u>L42</u>
<u>L41</u>	20010032239	2	<u>L41</u>
<u>L40</u>	((multipl\$6 or plural\$5 or two) with ((\$3serializ\$4 or \$3marshal\$4) near object)) with hash\$6	2	<u>L40</u>
<u>L39</u>	((multipl\$6 or plural\$5 or two) near ((\$3serializ\$4 or \$3marshal\$4) near object)) with hash\$6	1	<u>L39</u>
<u>L38</u>	(transmi\$5 or transfer\$4 or send\$3 or receiv\$3) with ((multipl\$6 or plural\$5 or two) near ((\$3serializ\$4 or \$3marshal\$4) near object))	7	<u>L38</u>
<u>L37</u>	(transmi\$5 or transfer\$4 or send\$3 or receiv\$3) with ((\$3serializ\$4 or \$3marshal\$4) near object)	405	<u>L37</u>
<u>L36</u>	(\$3serializ\$4 or \$3marshal\$4) and L34	5	<u>L36</u>
<u>L35</u>	@pd<20030421 and L34	35	<u>L35</u>
<u>L34</u>	add\$3 near data with hash\$6	140	<u>L34</u>
<u>L33</u>	@pd<20030421 and L32	42	<u>L33</u>
<u>L32</u>	((index near (table or schema)) or hash\$6) with (\$3serializ\$4 or \$3marshal\$4))	161	<u>L32</u>
<u>L31</u>	((index near (table or schema)) or hash\$6) and (\$3serializ\$4 or \$3marshal\$4)).ab,ti.	20	<u>L31</u>

<u>L30</u>	tuple and L29	12	<u>L30</u>
<u>L29</u>	(((index near (table or schema)) or hash\$6) and (\$3serializ\$4 or \$3marshal\$4 or \$3stream\$3)).ab,ti.	417	<u>L29</u>
<u>L28</u>	((combin\$5 or merg\$3) near object) with hash\$7	17	<u>L28</u>
<u>L27</u>	(combin\$5 or merg\$3) with ((serializ\$4 or marshal\$4) near object)	12	<u>L27</u>
<u>L26</u>	hash\$1table and remote near (call or invocation or invok\$3)	52	<u>L26</u>
<u>L25</u>	L21 and L24	33	<u>L25</u>
<u>L24</u>	((function or method or procedure) near call or invocation or invok\$3) with (hash\$6)	622	<u>L24</u>
<u>L23</u>	@pd<20030421 and L22	176	<u>L23</u>
<u>L22</u>	L20 and L21	473	<u>L22</u>
<u>L21</u>	\$3seializ\$4 or \$3marshal\$4	74746	<u>L21</u>
<u>L20</u>	((function or method or procedure) near call or invocation or invok\$3) with (hash\$6 or table or schema)	8744	<u>L20</u>
<u>L19</u>	hash\$3 and L18	112	<u>L19</u>
<u>L18</u>	(stor\$3 or sav\$3 or combin\$6 or merg\$3) with ((serializ\$4 or marshal\$4) near (object or request or message))	375	<u>L18</u>
<u>L17</u>	@pd<20030421 and L16	164	<u>L17</u>
<u>L16</u>	hash\$6 and L15	355	<u>L16</u>
<u>L15</u>	(stor\$3 or sav\$3 or combin\$6 or merg\$3) with ((serializ\$4 or marshal\$4 or stream\$2) near (object or request or message))	2148	<u>L15</u>
<u>L14</u>	(((remote or method or function or procedure) near call) or invok\$3 or invocation) with hashtable	18	<u>L14</u>
<u>L13</u>	(((remote or method or function or procedure) near call) or invok\$3 or invocation) with ((second or first) near hashtable)	1	<u>L13</u>
<u>L12</u>	(stor\$3 or sav\$3 or combin\$6 or merg\$3) with ((second or first) near hashtable)	6	<u>L12</u>
<u>L11</u>	@pd<20030421 and L10	85	<u>L11</u>
<u>L10</u>	(hash or hash\$1table ) same (serializ\$5 or marshal\$4)	356	<u>L10</u>
<u>L9</u>	@pd<20030421 and L8	20	<u>L9</u>
<u>L8</u>	l1 and L7	177	<u>L8</u>
<u>L7</u>	(hash or hash\$1table or table) same (serializ\$5 or marshal\$4)	3909	<u>L7</u>
<u>L6</u>	l4 and L5	167	<u>L6</u>
<u>L5</u>	(serializ\$5 or marshal\$4 or pack\$3) with (object or code or method)	360376	<u>L5</u>
<u>L4</u>	@pd<20030421 and L3	267	<u>L4</u>
<u>L3</u>	l1 and L2	1131	<u>L3</u>
<u>L2</u>	(hash or hash\$1table or table) same (serializ\$5 or marshal\$4 or pack\$3)	114451	<u>L2</u>
<u>L1</u>	(hash or hash\$1table or table) same tuple	4350	<u>L1</u>

END OF SEARCH HISTORY